

net🐙: Command Language

A universal language for structured data and RPC

Bernd Paysan

September 26, EuroForth 2014, Palma de Mallorca

Overview



Motivation

Object Oriented Forth Code as Data

A Few Examples

Forth–Style Communication



Requirements for secure communication (secure as in “no exploitation through misinterpretation”)

- Extremely simple interpreter
- Extensible, but extensions must be allowed by the receiver
- Universal, i.e. only one interpreter to audit and verify
- Triviality makes it difficult to explain

Basics



- Five data types: Integer (64 bits signed+unsigned), flag, string (generic byte array), IEEE double float, objects
- Instructions and data encoding derived from Protobuf (7 bits per byte, MSB=1 means “data continues”, most significant part first)
- Four stacks: integer, float, objects, strings
- `endwith` and `endcmd` for ending object message blocks and commands
- `oswap` to transfer the current object to the object stack, to be inserted in the outer object
- `words` for reflection (words are listed with token number, identifier and stack effect to make automatic bindings possible)

Why binary encoding?



- Faster and simpler to parse (simpler means smaller attack vector)
- Ability to enter commands on the fly in text form through a frontend interpreter still exists
- Debugging with a de-tokenizer is also very easy
- Object-oriented approach makes writing application-specific logic extremely simple

Why a programming language as data?



Lemma: every glue logic will become Turing complete

- Implement only the things you need — but you shouldn't have to implement more than *one* generic interpreter
- Typical idea of sending remote procedure calls: serialize the entire object (with subobjects), and call a function on that object
- Net2o idea (derived from ONF): Keep the entire object synchronized by sending only the changes to it — these changes are simple messages (setters)
- This allows multi-message passing, and reduces latency

Security



Lemma: every sufficiently complex format can be exploited

Therefore stick to a very simple format, i.e.: simplify and factor the code

Interpreter

```
: cmd@ ( -- u )
  buf-state 2@ over + >r p@+ r> over - buf-state 2! 64>n ;
: n>cmd ( n -- addr ) cells >r
  o IF token-table ELSE setup-table THEN
  $@ r@ u<= IF net2o-crash THEN r> + ;
: cmd-dispatch ( addr u -- addr' u' ) buf-state 2!
  cmd@ n>cmd @ ?dup IF execute ELSE net2o-crash THEN
  buf-state 2@ ;
: cmd-loop ( addr u -- )
  BEGIN cmd-dispatch dup 0<= UNTIL 2drop ;
```

Reading Files



reading three files

```
0 lit, file-id "net2o.fs" $, 0 lit,  
open-file <req-file get-size get-stat req> endwith  
1 lit, file-id "data/2011-05-13_11-26-57-small.jpg" $, 0 lit,  
open-file <req-file get-size get-stat req> endwith  
2 lit, file-id "data/2011-05-20_17-01-12-small.jpg" $, 0 lit,  
open-file <req-file get-size get-stat req> endwith
```


Reading Files: Reply



reading three files: replies

```
0 lit, file-id 12B9A lit, set-size  
  138D607CB83D0F06 lit, 1A4 lit, set-stat endwith  
1 lit, file-id 9C65C lit, set-size  
  13849CAE1F3B6EA8 lit, 1A4 lit, set-stat endwith  
2 lit, file-id 9D240 lit, set-size  
  13849CAE2643FDCC lit, 1A4 lit, set-stat endwith
```

Messages



messages

```
msg 13977C927BF7F1AA lit, msg-at "Hi Bob!" $, msg-text
85" Z(&3*>qxl*bWM*DUCA-Mf9N~u;<ddcW0C<XR)ezh?=jmn7zq4RFduAe=a
$, msg-sig endwith
85" e}&3&Kep3Im`T3?tIU=8fs>4=(C`Uic<rhs{(J`k&c5k8{H2^0*}`rV0(F3e"
$, push-$ push' nest 0 lit, ok?
```

Structured Text a la HTML



HTML-like structured text

```
body
  p "Some text with " text
    bold "bold" text oswap add
    " markup" text
  oswap add
  li
    ul "a bullet point" text oswap add
    ul "another bullet point" text oswap add
  oswap add
oswap add
```

Literature&Links



 BERND PAYSAN

<http://fossil.net2o.de/net2o/>